

Dodecanoic-2-¹³C Acid

Section 1. Chemical product and company identifications

Product code: C-3156
Chemical formula: C₁₁¹³CH₂₄O₂
CAS: 287100-78-1
CAS (unlabelled): 143-07-7
Synonyms: Lauric Acid

Supplier / Manufacturer:

C/D/N Isotopes Inc.
88 Leacock Street
Pointe-Claire (Québec) H9R 1H1
Phone: 514-697-6254
Toll-Free (Canada & USA): 1-800-565-4696
Fax: 514-697-6148
Website: www.cdnisotopes.com

In case of emergency:


TOXYSCAN HOTLINE: 1-855-780-0599

Section 2. Hazards identifications

Physical state: Solid
Warning: Causes skin irritation. Causes serious eye irritation.
Routes of entry: Inhalation, ingestion, skin and eyes

GHS (Globally Harmonized System of Classification and Labelling of Chemicals):

GHS Classification: - Skin irritation (Category 2)
- Eye irritation (Category 2A)

GHS Label elements: - Pictograms: 
- Signal word: Warning

Hazards statement: - H315 Causes skin irritation.
- H319 Causes serious eye irritation.

Precautionary statement: - P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P317 Get medical help.

Section 3. Composition and information on ingredients

<u>Name</u>	<u>CAS</u>	<u>Concentration %</u>
Dodecanoic-2- ¹³ C Acid	287100-78-1	> 98

Section 4. First aid measures

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin contact: Wash off with soap and plenty of water. Consult a physician.
Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Section 5. Firefighting measures

Flammability of the product: Combustible at high temperature.

Lower explosion limit: No data available

Upper explosion limit: No data available

Auto-ignition temperature: No data available

Flash point: 156 °C (313 °F)

Products of combustion: Hazardous decomposition products formed under fire conditions: Carbon oxides.

Firefighting media and instructions: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary.

Section 6. Accidental release measures

Personal precautions: Use personal protective equipment. Avoid dust formation. Ensure adequate ventilation. Avoid breathing dust.

Environmental precautions: Do not let product enter drains. Discharge into the environment must be avoided.

Methods for cleaning up: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

Section 7. Handling and storage

Handling: Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation.

Storage: Store at room temperature. Adequate ventilation.

Section 8. Exposure Controls, Personal Protections

Engineering controls: Use mechanical exhaust or laboratory fumehood to avoid exposure.

Eyes: Safety glasses with side-shields conforming to NIOSH (US) or EN 166 (EU).

Respiratory: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US).

Hands: Handle with gloves. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Skin/body: Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Section 9. Physical and chemical properties (unlabelled)

Molecular weight: 200.32 g/mol

Physical status: Solid

Color: White to off-white

Odour: No data available

Density: No data available

Melting point: 44 - 46 °C (111 - 115 °F)

Boiling point: 298 °C (568 °F)

Vapour pressure: No data available

Vapour density: No data available

Partition coefficient (octanol/water): log Pow: 4.6

Water solubility: 4.8 mg/L

Section 10. Stability and reactivity

Stability and reactivity: Stable under recommended storage conditions.

Incompatibility: Strong oxidizing agents.

Products of combustion: Hazardous decomposition products formed under fire conditions: Carbon oxides.

Reactivity conditions: No data available.

Section 11. Toxicological information (unlabelled)

Toxicological data: Lauric Acid

Information on ingredients:

<u>Name</u>	<u>CAS</u>	<u>LD₅₀</u>	<u>LC₅₀</u>
Lauric Acid	143-07-7	Oral - Rat - 12,000 mg/kg	No data available

Potential acute effects

- **Eyes:** Causes serious eye irritation.
- **Skin:** May be harmful if absorbed through skin. Causes skin irritation.
- **Inhalation:** May be harmful if inhaled. May cause respiratory tract irritation.
- **Ingestion:** May be harmful if swallowed.

Potential chronic effects

- **Carcinogenic effects:** IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- **Mutagenic effects:** No data available.
- **Teratogenic effects:** No data available.
- **Medical conditions aggravated by overexposure:** No data available.

Section 12. Ecological information

Ecological data:

<u>Name</u>	<u>Results</u>	<u>Species</u>	<u>Period</u>
Lauric Acid	5 mg/l LC50	Oryzias latipes	96 h
	3.6 mg/l EC50	Daphnia magna	48 h
	> 7.6 mg/l EC50	Selenastrum capricornutum	72 h

Effects on environment: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Mobility: No data available.

Environmental precautions: No data available.

Persistence and degradability: Aerobic. Result: 86 % - Readily biodegradable. Method: OECD Test Guideline 301D.

Bioaccumulative potential: Danio rerio - 28 d - 2 mg/l. Bioconcentration factor (BCF): 234 - 249.

Section 13. Disposal considerations

Waste disposal: Contact a licensed professional waste disposal service to dispose of this material.

Section 14. Transportation information

Classification DOT/IMDG/IATA label:

Shipping name: Not dangerous goods

UN number: None

Class: None

Packaging group: None

Additional information: None

Section 15. Regulatory information

UNITED STATES: NFPA classification



Health: 2
Flammable: 1
Reactivity: 0
Special conditions: None

Legend: 4: Severe, 3: High, 2: Moderate, 1: Slightly, 0: Not hazardous

U.S. Federal regulations:

TSCA 8(b) inventory: Lauric Acid

SARA 302/304/311/312 extremely hazardous substances: Not Listed

SARA 302/304 emergency planning and notification: Not Listed

SARA 302/304/311/312 hazardous chemicals: Not Listed

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard: Not Listed

CWA (Clean Water Act) 307: Not Listed

CWA (Clean Water Act) 311: Not Listed

CAA (Clean Air Act) 112 accidental release prevention: Not Listed

CAA (Clean Air Act) 112 regulated flammable substances: Not Listed

CAA (Clean Air Act) 112 regulated toxic substances: Not Listed

State regulations:

DEA List I Chemicals (Precursor Chemicals): Not Listed

DEA List II Chemicals (Essential Chemicals): Not Listed

Substances in Massachusetts: Not Listed

Dangerous substances in New Jersey: Not Listed

New York – Dangerous substances with acute effects: Not Listed

Dangerous substances in Pennsylvania – right to know: Not Listed

WHMIS (Canada):



D2B - Toxic material causing other toxic effects

Section 16. Additional information

References:

- ANSI Z400.1, MSDS Standard, 2001.
- Manufacturer's Material Safety Data Sheet.
- 29CFR Part1910.1200 OSHA MSDS Requirements.
- 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG. -Canada
- Gazette Part II, Vol. 122, No. 2 Registration SOR/88-64 31 December, 1987 Hazardous Products Act "Ingredient Disclosure List".
- Federal act on the controlled products
- Canadian Transport of Dangerous Goods, Regulations and Schedules, Clear Language version 2002.
- Toxicological repertory, HSC.
- Material safety data sheet from the components.

Date of issue: May 27th, 2020

Version: 3

Elaborated by: Toxyscan Inc., 1-866-780-0599

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, C/D/N Isotopes Inc., Toxyscan Inc., or any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.