



N,N-Dimethyl-d₆-formamide

Section 1. Chemical product and company identifications

Product code: D-0890 Chemical formula: C₃HD₆NO CAS: 185990-36-7 CAS (unlabelled): 68-12-2 Synonyms: Dimethylformamide, DMF

Supplier / Manufacturer:

C/D/N Isotopes Inc.

In case of emergency: **TOXYSCAN HOTLINE: 1-855-780-0599**

88 Leacock Street Pointe-Claire (Québec) H9R 1H1 Phone: 514-697-6254 Toll-Free (Canada & USA): 1-800-565-4696 Fax: 514-697-6148 Website: www.cdnisotopes.com

Section 2. Hazards identifications

Physical state: Liquid Warning: Flammable liquid and vapour. Harmful if inhaled. Causes serious eye irritation. Routes of entry: Inhalation, ingestion, skin and eyes

GHS (Globally Harmonized System of Classification and Labelling of Chemicals):

GHS Classification:	 Flammable liquids (Category 3) Acute toxicity, Inhalation (Category 4) Eye irritation (Category 2A) Reproductive toxicity (Category 1B)
GHS Label elements:	- Pictograms:
	- Signal word: Danger
Hazards statement:	 H226 Flammable liquid and vapour. H332 Harmful if inhaled. H319 Causes serious eye irritation. H360 May damage fertility or the unborn child.
Precautionary statement:	 P210 Keep away from heat/ hot surfaces/ sparks/ open flames/ ignition sources. No smoking. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P317 Get medical help.

Section 3. Composition and information on ingredients

Name	CAS	Concentration %
N,N-Dimethyl-d₀-formamide	185990-36-7	> 98

Section 4. First aid measures

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. **Skin contact:** Wash off with soap and plenty of water. Consult a physician. **Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. **Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. **General advice:** Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Section 5. Firefighting measures

Flammability of the product: Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Lower explosion limit: 2.2 Vol%

Upper explosion limit: 15.2 Vol% Auto-ignition temperature: 445 °C (833 °F)

Flash point: 58 °C (136 °F)

Products of combustion: Hazardous decomposition products formed under fire conditions: Carbon oxides, nitrogen oxides. **Firefighting media and instructions:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. **Special protective equipment for firefighters:** Wear self-contained breathing apparatus for firefighting if necessary.

Section 6. Accidental release measures

Personal precautions: Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition.

Environmental precautions: Do not let product enter drains.

Methods for cleaning up: Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Section 7. Handling and storage

Handling: Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Provide appropriate exhaust ventilation. Keep away from sources of ignition - No smoking.

Storage: Store at room temperature. Adequate ventilation. Protect from heat and ignition sources.

Section 8. Exposure Controls, Personal Protections

Engineering controls: Use mechanical exhaust or laboratory fumehood to avoid exposure.

Eyes: Safety glasses with side-shields conforming to NIOSH (US) or EN 166 (EU).

Respiratory: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US).

Hands: Handle with gloves. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Skin/body: Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Section 9. Physical and chemical properties (unlabelled)

Molecular weight: 73.09 g/mol Physical status: Liquid Color: Colorless Odour: Amine-like Density: 0.944 g/mL Melting point: -61 °C (-78 °F) Boiling point: 153 °C (307 °F) Vapour pressure: 3.60 hPa (2.70 mmHg) at 20 °C (68 °F) Vapour density: 2.52 (Air = 1) Partition coefficient (octanol/water): log Pow: -1.01 Water solubility: Completely miscible

Section 10. Stability and reactivity

Stability and reactivity: Stable under recommended storage conditions.
 Incompatibility: Strong oxidizing agents.
 Products of combustion: Hazardous decomposition products formed under fire conditions: Carbon oxides, nitrogen oxides.
 Reactivity conditions: Heat, flames and sparks.

Section 11. Toxicological information (unlabelled)

Toxicological data: N,N-Dimethylformamide

Information on ingredients:

<u>Name</u>	CAS	<u>LD₅₀</u>	<u>LC₅₀</u>
N,N-Dimethylformamide	68-12-2	Oral - Rat - 2,800 mg/kg Dermal - Rabbit - 4,720 mg/kg	Inhalation - Mouse - 2 h - 9,400 mg/m ³

Potential acute effects

- Eyes: Causes serious irritation.

- Skin: May be harmful if absorbed through skin. May cause skin irritation.

- Inhalation: Harmful if inhaled. May cause respiratory tract irritation.
- Ingestion: May be harmful if swallowed.

Potential chronic effects

- Carcinogenic effects: This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (N,N-Dimethylformamide). ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- Mutagenic effects: Genotoxicity in vitro Ames test S. typhimurium with and without metabolic activation negative.
- Teratogenic effects: May damage the unborn child. Presumed human reproductive toxicant.
- Medical conditions aggravated by overexposure: No data available.

Section 12. Ecological information

Ecological data:

<u>Name</u>	Results	Species	Period				
N,N-Dimethylformamide	6,300 mg/l LC50 7,500 mg/l EC50	Lepomis macrochirus Daphnia magna	96 h 48 h				
Effects on environment: No data available.							

Mobility: No data available.

Environmental precautions: No data available.

Persistence and degradability: Aerobic. Result: 100 % - Readily biodegradable. Method: OECD Test guideline 301E. **Bioaccumulative potential:** Caprinus carpio - 56 d - 0.002 mg/l. Bioconcentration factor (BCF): 0.3 - 1.2.

Section 13. Disposal considerations

Waste disposal: Contact a licensed professional waste disposal service to dispose of this material.

Section 14. Transportation information

Classification DOT/IMDG/IATA label:

Shipping name: N,N-Dimethylformamide UN number: UN2265 Class: 3 Packaging group: III

Additional information: None

Section 15. Regulatory information

UNITED STATES: NFPA classification



Health: 2 Flammable: 2 Reactivity: 0 Special conditions: None

Legend: 4: Severe, 3: High, 2: Moderate, 1: Slightly, 0: Not hazardous

U.S. Federal regulations:

TSCA 8(b) inventory: N,N-Dimethylformamide SARA 302/304/311/312 extremely hazardous substances: Not Listed SARA 302/304 emergency planning and notification: Not Listed SARA 302/304/311/312 hazardous chemicals: Not Listed SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard: Listed CWA (Clean Water Act) 307: Not Listed CWA (Clean Water Act) 311: Not Listed CWA (Clean Air Act) 112 accidental release prevention: Not Listed CAA (Clean Air Act) 112 regulated flammable substances: Not Listed CAA (Clean Air Act) 112 regulated toxic substances: Not Listed

State regulations:

DEA List I Chemicals (Precursor Chemicals): Not Listed DEA List II Chemicals (Essential Chemicals): Not Listed Substances in Massachusetts: Listed Dangerous substances in New Jersey: Listed New York – Dangerous substances with acute effects: Not Listed Dangerous substances in Pennsylvania – right to know: Listed

WHMIS (Canada):



B3 - Combustible liquid

D2A - Very toxic material causing other toxic effects D2B - Toxic material causing other toxic effects

Section 16. Additional information

References:

- ANSI Z400.1, MSDS Standard, 2001.
- Manufacturer's Material Safety Data Sheet.
- 29CFR Part1910.1200 OSHA MSDS Requirements.
- 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG. -Canada
- Gazette Part II, Vol. 122, No. 2 Registration SOR/88-64 31 December, 1987 Hazardous Products Act "Ingredient Disclosure List".
- Federal act on the controlled products
- Canadian Transport of Dangerous Goods, Regulations and Schedules, Clear Language version 2002.
- Toxicological repertory, HSC.
- Material safety data sheet from the components.

Date of issue: April 30th, 2021 Version: 3

Elaborated by: Toxyscan Inc., 1-866-780-0599

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, C/D/N Isotopes Inc., Toxyscan Inc., or any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.