

Bis[(±)-2-ethylhexyl] Phthalate-3,4,5,6-d₄

Section 1. Chemical product and company identifications

Product code: D-2306

Chemical formula: C₂₄H₃₄D₄O₄

CAS: 93951-87-2

CAS (unlabelled): 117-81-7

Synonyms: Phthalic Acid Bis(2-ethylhexyl) Ester, 'Dioctyl' Phthalate

Supplier / Manufacturer:

C/D/N Isotopes Inc.

88 Leacock Street

Pointe-Claire (Québec) H9R 1H1

Phone: 514-697-6254

Toll-Free (Canada & USA): 1-800-565-4696

Fax: 514-697-6148

Website: www.cdnisotopes.com

In case of emergency:

TOXYSKAN HOTLINE: 1-855-780-0599

Section 2. Hazards identifications

Physical state: Liquid

Warning: May damage fertility or the unborn child.

Routes of entry: Inhalation, ingestion, skin and eyes

GHS (Globally Harmonized System of Classification and Labelling of Chemicals):

GHS Classification:

- Carcinogenicity (Category 2)
- Reproductive toxicity (Category 1B)

GHS Label elements:

- Pictograms: 
- Signal word: Danger

Hazards statement:

- H351 Suspected of causing cancer.
- H360 May damage fertility or the unborn child.

Precautionary statement:

- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- P318 IF exposed or concerned, get medical advice.

Section 3. Composition and information on ingredients

<u>Name</u>	<u>CAS</u>	<u>Concentration %</u>
Bis[(±)-2-ethylhexyl] Phthalate-3,4,5,6-d ₄	93951-87-2	> 98

Section 4. First aid measures

Eye contact: Flush eyes with water as a precaution.

Skin contact: Wash off with soap and plenty of water. Consult a physician.

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Section 5. Firefighting measures

Flammability of the product: Combustible at high temperature.

Lower explosion limit: 0.3 Vol%

Upper explosion limit: 2.4 Vol%

Auto-ignition temperature: 390 °C (734 °F)

Flash point: 207 °C (405 °F)

Products of combustion: Hazardous decomposition products formed under fire conditions: Carbon oxides.

Firefighting media and instructions: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary.

Section 6. Accidental release measures

Personal precautions: Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Environmental precautions: Do not let product enter drains.

Methods for cleaning up: Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Section 7. Handling and storage

Handling: Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Provide appropriate exhaust ventilation.

Storage: Store at room temperature. Adequate ventilation.

Section 8. Exposure Controls, Personal Protections

Engineering controls: Use mechanical exhaust or laboratory fumehood to avoid exposure.

Eyes: Safety glasses with side-shields conforming to NIOSH (US) or EN 166 (EU).

Respiratory: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US).

Hands: Handle with gloves. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Skin/body: Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Section 9. Physical and chemical properties (unlabelled)

Molecular weight: 390.56 g/mol

Physical status: Liquid

Color: Colorless

Odour: Odorless

Density: 0.985 g/cm³

Melting point: -50 °C (-58 °F)

Boiling point: 386 °C (727 °F)

Vapour pressure: No data available

Vapour density: 13.46 (Air = 1)

Partition coefficient (octanol/water): log Pow: 7.6

Water solubility: 0.27 mg/L

Section 10. Stability and reactivity

Stability and reactivity: Stable under recommended storage conditions.

Incompatibility: Strong oxidizing agents, strong bases.

Products of combustion: Hazardous decomposition products formed under fire conditions: Carbon oxides.

Reactivity conditions: No data available.

Section 11. Toxicological information (unlabelled)

Toxicological data: Bis(2-ethylhexyl) Phthalate

Information on ingredients:

<u>Name</u>	<u>CAS</u>	<u>LD₅₀</u>	<u>LC₅₀</u>
Bis(2-ethylhexyl) Phthalate	117-81-7	Oral - Rat - 30,000 mg/kg Dermal - Rabbit - 25,000 mg/kg	No data available

Potential acute effects

- **Eyes:** May cause eye irritation.
- **Skin:** May be harmful if absorbed through skin. May cause skin irritation.
- **Inhalation:** May be harmful if inhaled. May cause respiratory tract irritation.
- **Ingestion:** May be harmful if swallowed.

Potential chronic effects

- **Carcinogenic effects:** This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. IARC: 2B - Group 2B: Possibly carcinogenic to humans (bis(2-Ethylhexyl) phthalate). ACGIH: A3 - Animal carcinogen.
- **Mutagenic effects:** No data available.
- **Teratogenic effects:** May damage the unborn child. Presumed human reproductive toxicant.
- **Medical conditions aggravated by overexposure:** No data available.

Section 12. Ecological information

Ecological data:

<u>Name</u>	<u>Results</u>	<u>Species</u>	<u>Period</u>
Bis(2-ethylhexyl) Phthalate	> 0.67 mg/l LC50	Pimephales promelas	96 h
	> 0.16 mg/l EC50	Daphnia magna	48 h

Effects on environment: No data available.

Mobility: No data available.

Environmental precautions: No data available

Persistence and degradability: Aerobic. Result: 80% - Readily biodegradable. Method: OECD Test Guideline 301B.

Bioaccumulative potential: Oncorhynchus mykiss - 100 d - 14 µg/l. Bioconcentration factor (BCF): 113.

Section 13. Disposal considerations

Waste disposal: Contact a licensed professional waste disposal service to dispose of this material.

Section 14. Transportation information

Classification DOT/IMDG/IATA label:

Shipping name: Not dangerous goods

UN number: None

Class: None

Packaging group: None

Additional information: None

Section 15. Regulatory information

UNITED STATES: NFPA classification



Health: 1
Flammable: 1
Reactivity: 0
Special conditions: None

Legend: 4: Severe, 3: High, 2: Moderate, 1: Slightly, 0: Not hazardous

U.S. Federal regulations:

TSCA 8(b) inventory: Bis(2-ethylhexyl) Phthalate
SARA 302/304/311/312 extremely hazardous substances: Not Listed
SARA 302/304 emergency planning and notification: Not Listed
SARA 302/304/311/312 hazardous chemicals: Not Listed
SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard: Listed
CWA (Clean Water Act) 307: Not Listed
CWA (Clean Water Act) 311: Not Listed
CAA (Clean Air Act) 112 accidental release prevention: Not Listed
CAA (Clean Air Act) 112 regulated flammable substances: Not Listed
CAA (Clean Air Act) 112 regulated toxic substances: Not Listed

State regulations:

DEA List I Chemicals (Precursor Chemicals): Not Listed
DEA List II Chemicals (Essential Chemicals): Not Listed
Substances in Massachusetts: Listed
Dangerous substances in New Jersey: Listed
New York – Dangerous substances with acute effects: Not Listed
Dangerous substances in Pennsylvania – right to know: Listed

WHMIS (Canada):



D2A - Very toxic material causing other toxic effects

Section 16. Additional information

References:

- ANSI Z400.1, MSDS Standard, 2001.
- Manufacturer's Material Safety Data Sheet.
- 29CFR Part1910.1200 OSHA MSDS Requirements.
- 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG. -Canada
- Gazette Part II, Vol. 122, No. 2 Registration SOR/88-64 31 December, 1987 Hazardous Products Act "Ingredient Disclosure List".
- Federal act on the controlled products
- Canadian Transport of Dangerous Goods, Regulations and Schedules, Clear Language version 2002.
- Toxicological repertory, HSC.
- Material safety data sheet from the components.

Date of issue: June 11th, 2021

Version: 3

Elaborated by: Toxyscan Inc., 1-866-780-0599

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, C/D/N Isotopes Inc., Toxyscan Inc., or any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.