

# Safety Data Sheet

**TOXYSCAN HOTLINE: 1-855-780-0599** 

## Hexamethyl-d<sub>18</sub>-disiloxane

## Section 1. Chemical product and company identifications

**Product code:** D-4376 **Chemical formula:** C<sub>6</sub>D<sub>18</sub>OSi<sub>2</sub>

CAS: 19108-55-5

CAS (unlabelled): 107-46-0 Synonyms: Bis(trimethylsilyl)ether

Supplier / Manufacturer: In case of emergency:

C/D/N Isotopes Inc.

88 Leacock Street

Pointe-Claire (Québec) H9R 1H1

Phone: 514-697-6254

Toll-Free (Canada & USA): 1-800-565-4696

Fax: 514-697-6148

Website: www.cdnisotopes.com

## **Section 2. Hazards identifications**

Physical state: Liquid

**Warning:** Highly flammable liquid and vapour. **Routes of entry:** Inhalation, ingestion, skin and eyes

## GHS (Globally Harmonized System of Classification and Labelling of Chemicals):

**GHS Classification:** - Flammable liquids (Category 2)

**GHS Label elements:** - Pictograms:

- Signal word: Danger

**Hazards statement:** - H225 Highly flammable liquid and vapour.

Precautionary statement: - P210 Keep away from heat/ hot surfaces/ sparks/ open flames/ ignition sources. No smoking.

- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

## Section 3. Composition and information on ingredients

Name CAS Concentration %

Hexamethyl- $d_{18}$ -disiloxane 19108-55-5 > 98

## **Section 4. First aid measures**

**Eye contact:** Flush eyes with water as a precaution.

**Skin contact:** Wash off with soap and plenty of water. Consult a physician.

**Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. **Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## Section 5. Firefighting measures

Flammability of the product: Flammable in the presence of a source of ignition when the temperature is above the flash point.

Keep away from heat/sparks/open flame/hot surface. No smoking.

**Lower explosion limit:** 0.5 Vol% **Upper explosion limit:** 21.8 Vol%

**Auto-ignition temperature:** 340 °C (644 °F)

Flash point: -6 °C (21 °F)

Products of combustion: Hazardous decomposition products formed under fire conditions: Carbon oxides, silicon oxides.

Firefighting media and instructions: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary.

## Section 6. Accidental release measures

**Personal precautions:** Use personal protective equipment. Avoid dust formation. Ensure adequate ventilation. Avoid breathing dust. Remove all sources of ignition.

**Environmental precautions:** Do not let product enter drains. Discharge into the environment must be avoided.

Methods for cleaning up: Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

## Section 7. Handling and storage

**Handling:** Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Provide appropriate exhaust ventilation. Keep away from sources of ignition - No smoking.

Storage: Store at room temperature. Adequate ventilation. Protect from heat and ignition sources.

## **Section 8. Exposure Controls, Personal Protections**

**Engineering controls:** Use mechanical exhaust or laboratory fumehood to avoid exposure.

Eyes: Safety glasses with side-shields conforming to NIOSH (US) or EN 166 (EU).

**Respiratory:** Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US).

**Hands:** Handle with gloves. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Skin/body:** Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Section 9. Physical and chemical properties (unlabelled)

Molecular weight: 162.38 g/mol

Physical status: Liquid Color: Colorless Odour: Odorless

Density: 0.764 g/mL at 20 °C (68 °F) Melting point: -59 °C (-74 °F) Boiling point: 101 °C (214 °F)

Vapour pressure: 44 hPa (33 mmHg) at 20 °C (68 °F)

**Vapour density:** 5.61 (Air = 1)

Partition coefficient (octanol/water): log Pow: 4.2

Water solubility: 0.93 mg/l

## Section 10. Stability and reactivity

Stability and reactivity: Stable under recommended storage conditions.

**Incompatibility:** Strong oxidizing agents.

Products of combustion: Hazardous decomposition products formed under fire conditions: Carbon oxides, silicon oxides.

**Reactivity conditions:** Heat, flames and sparks.

## Section 11. Toxicological information (unlabelled)

Toxicological data: Hexamethyldisiloxane

**Information on ingredients:** 

Name CAS LD<sub>50</sub> LC<sub>50</sub>

Hexamethyldisiloxane 107-46-0 Oral - Rat - > 5,000 mg/kg Inhalation - Rat - 4 h - 15,956 ppm

Dermal - Rabbit - 12,224 mg/kg

#### **Potential acute effects**

- Eyes: May cause eye irritation.
- Skin: May be harmful if absorbed through skin. May cause skin irritation.
- Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.
- Ingestion: May be harmful if swallowed.

#### **Potential chronic effects**

- Carcinogenic effects: IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- Mutagenic effects: Genotoxicity in vitro Not mutagenic in ames test. Histidine reversion (Ames).
- Teratogenic effects: No data available.
- Medical conditions aggravated by overexposure: No data available.

## Section 12. Ecological information

## **Ecological data:**

<u>Name</u>	<u>Results</u>	<u>Species</u>	<u>Period</u>
Hexamethyldisiloxane	3.02 mg/l LC50	Oncorhynchus mykiss	96 h
	314 mg/l EC50	Daphnia magna	24 h
	0.22 mg/l EC50	Pseudokirchneriella subcapitata	95 h

**Effects on environment:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Mobility: No data available.

Environmental precautions: No data available.

Persistence and degradability: Aerobic. Result: 2 % - Not readily biodegradable. Method: OECD Test guideline 301C.

**Bioaccumulative potential:** Cyprinus carpio - 70 d at 25 °C. Bioconcentration factor (BCF): 1,100 - 2,400. Method: OECD Test Guideline 305C.

## Section 13. Disposal considerations

Waste disposal: Contact a licensed professional waste disposal service to dispose of this material.

## **Section 14. Transportation information**

## Classification DOT/ IMDG/IATA label:

Shipping name: Flammable liquid, n.o.s. (Hexamethyldisiloxane)

UN number: UN1993

Class: 3

Packaging group: II

**Additional information: None** 

## Section 15. Regulatory information

**UNITED STATES: NFPA classification** 



Health: 0 Flammable: 3 Reactivity: 0 Special conditions: None

Legend: 4: Severe, 3: High, 2: Moderate, 1: Slightly, 0: Not hazardous

#### **U.S. Federal regulations:**

TSCA 8(b) inventory: Hexamethyldisiloxane

SARA 302/304/311/312 extremely hazardous substances: Not Listed SARA 302/304 emergency planning and notification: Not Listed SARA 302/304/311/312 hazardous chemicals: Not Listed

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Fire hazard, Immediate (acute)

health hazard, Delayed (chronic) health hazard: Listed

CWA (Clean Water Act) 307: Not Listed CWA (Clean Water Act) 311: Not Listed

CAA (Clean Air Act) 112 accidental release prevention: Not Listed CAA (Clean Air Act) 112 regulated flammable substances: Not Listed CAA (Clean Air Act) 112 regulated toxic substances: Not Listed

#### State regulations:

**DEA List I Chemicals (Precursor Chemicals):** Not Listed **DEA List II Chemicals (Essential Chemicals):** Not Listed

**Substances in Massachusetts:** Not Listed **Dangerous substances in New Jersey:** Not Listed

New York – Dangerous substances with acute effects: Not Listed Dangerous substances in Pennsylvania – right to know: Not Listed

#### WHMIS (Canada):



B2 - Flammable liquid

## **Section 16. Additional information**

## **References:**

- ANSI Z400.1, MSDS Standard, 2001.
- Manufacturer's Material Safety Data Sheet.
- 29CFR Part1910.1200 OSHA MSDS Requirements.
- 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG. -Canada
- Gazette Part II, Vol. 122, No. 2 Registration SOR/88-64 31 December, 1987 Hazardous Products Act "Ingredient Disclosure List".
- Federal act on the controlled products
- Canadian Transport of Dangerous Goods, Regulations and Schedules, Clear Language version 2002.
- Toxicological repertory, HSC.
- Material safety data sheet from the components.

Date of issue: July 21st, 2020

Version: 3

Elaborated by: Toxyscan Inc., 1-866-780-0599

**Notice to reader:** To the best of our knowledge, the information contained herein is accurate. However, C/D/N Isotopes Inc., Toxyscan Inc., or any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.