



ε-Caprolactone-3,3,4,4,5,5-d₆

Section 1. Chemical product and company identifications

Product code: D-6111 Chemical formula: C₆H₄D₆O₂ CAS: 1219802-08-0 CAS (unlabelled): 502-44-3 Synonyms: 6-Hexanolactone, 2-Oxepanone

Supplier / Manufacturer:

C/D/N Isotopes Inc.

In case of emergency:

88 Leacock Street Pointe-Claire (Québec) H9R 1H1 Phone: 514-697-6254 Toll-Free (Canada & USA): 1-800-565-4696 Fax: 514-697-6148 Website: www.cdnisotopes.com

TOXYSCAN HOTLINE: 1-855-780-0599

Section 2. Hazards identifications

Physical state: Liquid Warning: Causes serious eye irritation. Routes of entry: Inhalation, ingestion, skin and eyes

GHS (Globally Harmonized System of Classification and Labelling of Chemicals):

GHS Classification:	- Eye irritation (Category 2A)
GHS Label elements:	- Pictograms:
	- Signal word: Warning
Hazards statement:	- H319 Causes serious eye irritation.
Precautionary statement	 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P317 Get medical help.

Section 3. Composition and information on ingredients

<u>Name</u>	CAS	Concentration %
ε-Caprolactone-3,3,4,4,5,5-d ₆	1219802-08-0	> 98

Section 4. First aid measures

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Skin contact: Wash off with soap and plenty of water. Consult a physician. Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. **Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Section 5. Firefighting measures

Flammability of the product: Flammable in the presence of a source of ignition when the temperature is above the flash point. Lower explosion limit: 0.9 Vol% Upper explosion limit: 9.6 Vol% Auto-ignition temperature: 200 °C (392 °F) Flash point: 109 °C (228 °F) Products of combustion: Hazardous decomposition products formed under fire conditions: Carbon oxides. Firefighting media and instructions: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary.

Section 6. Accidental release measures

Personal precautions: Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.
 Environmental precautions: Do not let product enter drains.
 Methods for cleaning up: Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Section 7. Handling and storage

Handling: Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Provide appropriate exhaust ventilation. **Storage:** STORE REFRIGERATED. Adequate ventilation. Protect from heat.

Section 8. Exposure Controls, Personal Protections

Engineering controls: Use mechanical exhaust or laboratory fumehood to avoid exposure.

Eyes: Safety glasses with side-shields conforming to NIOSH (US).

Respiratory: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US).

Hands: Handle with gloves. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Skin/body: Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Section 9. Physical and chemical properties (unlabelled)

Molecular weight: 114.14 g/mol Physical status: Liquid Color: Colorless to yellow Odour: Bitter almond Density: 1.03 g/cm³ Melting point: -2 °C (28 °F) Boiling point: 97 - 98 °C (207 - 208 °F) at 20 hPa (15 mmHg) Vapour pressure: 0.01 hPa (0.01 mmHg) at 20 °C (68 °F) Vapour density: 3.94 (Air = 1) Partition coefficient (octanol/water): No data available Water solubility: No data available

Section 10. Stability and reactivity

Stability and reactivity: Stable under recommended storage conditions.
 Incompatibility: Strong oxidizing agents, strong bases.
 Products of combustion: Hazardous decomposition products formed under fire conditions: Carbon oxides.
 Reactivity conditions: No data available.

Section 11. Toxicological information (unlabelled)

Toxicological data: E-Caprolactone

Information on ingredients:

<u>Name</u>	<u>CAS</u>	<u>LD₅₀</u>
ε-Caprolactone	502-44-3	Oral - Rat - 4,290 mg/kg Dermal - Rabbit - 6,170 mg/kg

LC₅₀

No data available

Potential acute effects

- Eyes: Causes serious eye irritation.
- Skin: May be harmful if absorbed through skin. May causes skin irritation.
- Inhalation: May be harmful if inhaled. May causes respiratory tract irritation.
- Ingestion: May be harmful if swallowed.

Potential chronic effects

- Carcinogenic effects: IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- Mutagenic effects: Genotoxicity in vitro Chromosome aberration test in vitro Chinese hamster fibroblasts negative.
- Teratogenic effects: No data available.
- Medical conditions aggravated by overexposure: No data available.

Section 12. Ecological information

Ecological data:

<u>Name</u>	<u>Results</u>	<u>Species</u>	Period
ε-Caprolactone	280 mg/l LC50 204 mg/l EC50 2.616 mg/l EC50	Poecilia reticulate Daphnia magna December subspiratus	96 h 48 h 72 h
Effects on environment: No o	2,616 mg/l ErC50 lata available.	Desmodesmus subspicatus	72 N

o data available.

Mobility: No data available.

Environmental precautions: No data available. Persistence and degradability: No data available. Bioaccumulative potential: No data available.

Section 13. Disposal considerations

Waste disposal: Contact a licensed professional waste disposal service to dispose of this material.

Section 14. Transportation information

Classification DOT/IMDG/IATA label:

Shipping name: Not dangerous goods UN number: None Class: None Packaging group: None

Additional information: None

Section 15. Regulatory information

UNITED STATES: NFPA classification



Health: 2 Flammable: 1 Reactivity: 0 Special conditions: None

Legend: 4: Severe, 3: High, 2: Moderate, 1: Slightly, 0: Not hazardous

U.S. Federal regulations:

TSCA 8(b) inventory: E-Caprolactone SARA 302/304/311/312 extremely hazardous substances: Not Listed SARA 302/304 emergency planning and notification: Not Listed SARA 302/304/311/312 hazardous chemicals: Not Listed SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard: Not Listed CWA (Clean Water Act) 307: Not Listed CWA (Clean Water Act) 311: Not Listed CWA (Clean Air Act) 112 accidental release prevention: Not Listed CAA (Clean Air Act) 112 regulated flammable substances: Not Listed CAA (Clean Air Act) 112 regulated toxic substances: Not Listed

State regulations:

DEA List I Chemicals (Precursor Chemicals): Not Listed DEA List II Chemicals (Essential Chemicals): Not Listed Substances in Massachusetts: Not Listed Dangerous substances in New Jersey: Not Listed New York – Dangerous substances with acute effects: Not Listed Dangerous substances in Pennsylvania – right to know: Not Listed

WHMIS (Canada):



D2B - Toxic material causing other toxic effects

Section 16. Additional information

References:

- ANSI Z400.1, MSDS Standard, 2001.
- Manufacturer's Material Safety Data Sheet.
- 29CFR Part1910.1200 OSHA MSDS Requirements.
- 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG. -Canada
- Gazette Part II, Vol. 122, No. 2 Registration SOR/88-64 31 December, 1987 Hazardous Products Act "Ingredient Disclosure List".
- Federal act on the controlled products
- Canadian Transport of Dangerous Goods, Regulations and Schedules, Clear Language version 2002.
- Toxicological repertory, HSC.
- Material safety data sheet from the components.

Date of issue: September 8th, 2020 Version: 3

Elaborated by: Toxyscan Inc., 1-866-780-0599

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, C/D/N Isotopes Inc., Toxyscan Inc., or any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.